C 42789	(Pages : 3)	Name
		Reg. No

SECOND SEMESTER M.Sc. DEGREE (REGULAR/SUPPLEMENTARY) EXAMINATION, APRIL 2023

(CBCSS)

Mathematics

MTH 2C 08—TOPOLOGY

(2019 Admission onwards)

Time: Three Hours

Maximum: 30 Weightage

Part A

Answer **all** questions.

Each question carries 1 weightage.

- 1. Define base of a topological space. Illustrate with an example.
- 2 Prove that a discrete space is second countable iff the underlying set is countable.
- 3 Let $(\mathbf{X}, \mathfrak{T})$ be a topological space and let $A \subset \mathbf{X}$. Then prove that $\overline{\overline{A}} = \overline{A}$.
- 4 Define a local base at a point x in a space X. Give an example. When will you say that a space is first countable?
- 5 When will you say that a space is connected? Prove that if **X** is connected then **X** cannot be written as the disjoint union of two nonempty closed sets.
- 6 In a Hausdorff space, prove that limits of sequences are unique.
- 7 State Urysohn's lemma.
- 8 Prove that every compact Hausdorff space is a T_3 space.

 $(8 \times 1 = 8 \text{ weightage})$

Turn over

2 C 42789

Part B

Answer any **two** questions from each unit. Each question carries 2 weightage.

Unit 1

- 9 Prove that the real line with the semi-open interval topology is not second countable.
- 10 Let (X, \mathfrak{T}) be a topological space and let $\mathfrak{B} \subset \mathfrak{T}$. Then prove that \mathfrak{B} is a base for \mathfrak{T} iff for any $x \in X$ and any open set G containing x, there exist $b \in \mathfrak{B}$ such that $x \in G$ and $B \subset G$.
- 11 Let (X, \mathfrak{T}) and (Y, \mathfrak{U}) be topological spaces and let $f: X \to Y$ be any function. If f is continuous at $x_0 \in X$, then prove that for every subset A of X, $x_0 \in \overline{A}$ implies $f(x_0) \in \overline{f(A)}$.

Unit 2

- 12 Prove that the co-countable topology on a set makes it into a Lindeloff space.
- 13 Prove that the product topology is the weak topology determined by the projection functions.
- 14 Prove that every closed, surjective map is a quotient map.

Unit 3

- 15 Suppose a topological space has the property that for every closed subset A of X, every continuous real valued function on A has a continuous extension to it. Then prove that X is normal.
- 16 Prove that all metric spaces are T_4 .
- 17 Suppose y is an accumulation point of a subspace A of a T_1 space X. Then every neighbourhood of y contains infinitely many points of A.

 $(6 \times 2 = 12 \text{ weightage})$

Part C

Answer any **two** from the following four questions. Each question carries 5 weightage.

- 18. (a) For a subset A of a topological space X, prove that $\overline{A} = A \cup A'$.
 - (b) Define sub-base for a topology. Let $(\mathbf{X}, \mathfrak{T})$ be a topological space and \mathbf{S} a family of subsets of \mathbf{X} . Then \mathbf{S} is a sub-base for \mathfrak{T} if and only if \mathbf{S} generates \mathfrak{T} .

3 C 42789

- 19. (a) The topological product of a finite number of connected spaces is connected. Prove the statement.
 - (b) Prove that every closed and bounded interval is compact.
- 20. (a) For a topological space X, prove that the following statements are equivalent:
 - (i) X is locally connected.
 - (ii) Components of open subsets of X are open in X.
 - (iii) X has a base consisting of connected subsets.
 - (iv) For every $x \in X$ and every neighbourhood N of x, there exist a connected open neighbourhood M of x such that $M \subset N$.
 - (b) Prove that every quotient space of a locally connected space is locally connected.
- 21. (a) Prove that the axioms T_0, T_1, T_2, T_3 and T_4 form a hierarchy of progressively stronger conditions.
 - (b) Give an example of:
 - (i) a T_0 space which is not T_1 .
 - (ii) a T_1 space which is not T_2 .
 - (iii) a T_2 space which is not T_3 .

 $(2 \times 5 = 10 \text{ weightage})$